

# DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## ALDI ARSENIC TRIOXIDE TERMITE DUST

Active Constituent: 489 g/kg ARSENIC (As)  
present as 659 g/kg ARSENIC TRIOXIDE

FOR USE IN THE CONTROL OF TERMITES  
IN TIMBER AND LIVING TREES.

ALDI GC PTY LTD

2A Elimatta Road, Mona Vale NSW 2103

Tel: (02) 9999 3949

Fax: (02) 9997 7681

NRA Approval No: 48410/0802

NET

CONTENTS:

100 g

**STORAGE:** Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed or fertilisers.

**SAFETY DIRECTIONS:** Poisonous if inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale dust. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist and washable hat, rubber gloves, impervious footwear, face shield or goggles and half facepiece respirator with dust cartridge or canister. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs contact a doctor or Poisons Information Centre (131126). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

### DIRECTIONS FOR USE: (All States except Tas)

SITUATION	PEST	RATE	CRITICAL COMMENT
Buildings	Termites	1-2 grams per infestation	Dust lightly into workings with hand blower. See General Instructions.
Outside Buildings and living trees	Termites	1-2 grams per infestation	Drill holes into infested timber or trees and apply dust using a hand blower. See General Instructions.

For detailed instructions on termite control refer to: Australian Standards 3660.2 – 2000  
"Termite Management In An Around Existing Buildings and Structures – Guidelines".  
Treatment by licensed pest manager as assessed as competent to  
National Pest Management Industry Competency Standards, Certificate II.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS  
AUTHORISED UNDER APPROPRIATE LEGISLATION.

2

NRA APPROVED

LABEL No: 48410/0802

DATE: 17/10/02

SIGNATURE: *[Signature]*

22.10.02

**GENERAL INSTRUCTIONS:** DO NOT use as a soil treatment. Once galleries have been detected it is important that disturbance is minimal prior to application of the dust. Using a hand blower, apply a small amount of dust to as many occupied galleries as possible. Excessive use of dust may lead to termites sealing off galleries. Tape up all openings made in working so there is a minimum of disturbance to the colony. After treatment leave undisturbed for 10-20 days then reopen all treated areas and retreat any areas still occupied by termites. Complete control of termites may not be achieved until dusting has been repeated several times. Display a warning sign while treating and leave the sign designating the treated area.

4

**Buildings:** Treat infested timbers by prising a splinter from the surface or drilling holes where necessary to obtain powder circulation. Use a hand blower as described above. Where termites are present in a structure the dust may be applied to galleries where active termites are not present at the time of application.

**Outside Buildings:** Any logs, stumps, poles or living trees suspected of harbouring termites should be drilled and if infested with commercially important species of termites, treated by drilling a number of holes to the centre of the timer and puffing dust into each hole which penetrates termite workings. For treatment of long boards drill every 2 or 3 metres and apply dust. In the case of living trees, care should be taken not to contaminate the sapwood area with arsenic trioxide dust.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

**PRECAUTION:** DO NOT leave accessible chemical unattended. DO NOT treat in the presence of children, pets or unauthorised persons. If dust is split, cover with sawdust or soil, carefully collect and place in a container.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a dry, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seeds and fertilisers. Destroy empty containers by breaking, crushing or puncturing them. DO NOT dispose of undiluted chemicals on-site. Dispose of at local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers should not be burnt.

**SAFETY DIRECTIONS:** Poisonous if inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale dust. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist and a washable hat, rubber

gloves, impervious footwear, face shield or goggles and a half face respirator with dust cartridge or canister. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre (131126). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**MATERIAL SAFETY DATA SHEET:** Additional information is listed in the Material Safety Data Sheet.

**CONDITIONS OF SALE:** Subject to the Trade Practices Act 1974. The manufacturer's liability for any damage, loss or injury howsoever caused arising out of the use of this product shall be limited to the replacement of any defective product, supply of equivalent goods or payment of the cost of the replacement of the defective product. This product is sold subject to conditions of sale endorsed on the label.

5